25) GMD/PAG/M-81-65 _ 1 June 1965 25X1A MEMORANDUM FOR: NSA/TCO ATTENTION: THROUGH: NSA/LO/NPIC SUBJECT: Chinese Shipyards and Port Facilities REFERENCE: Requirement
No. 12037-6+ (Partial answer) , NPIC Project 25 In response to the reference requirement, the attached material is forwarded herewith: Pre-release of Detailed Photographic Interpretation Report, "Shang-Hai Port Facilities, China". 25X1A Colonel, USA Assistant for Photographic Analysis, NPIC Attachment: As stated above Distribution: Distribution:

Orig & 1 - NSA/TCO w/att

1 - NSA/LO/NPIC w/att

1 - PAG/NPIC

1 - IPO/PAG/NPIC

1 - OND/PAG/NPIC w/att

1 - OIA/PID

1 - OS/IPIC

- CSD/IPIC w/att

1 - DIAXX-4/LO/NPIC

1 - AFIITE-EA Attn: It. **DECLASS REVIEW by NIMA/DOD** 25X1A 1 - AFMIE-BA Attn: Lt. Co 1 - OPKAY 922Y3 Attn: Car l - Army/SPAD Attn: Major 1 - DIAXX-3A w/att 1 - DIAXX-3C w. st 25)

5-17471

GMD/PAG/M-81-85 dated 1 June 1965

Shang-Hai Port Faciliti

25X1A

Shang-Hai Port Facilitie.

and associated wharfage is located on both banks of the Hung-Pu Chinag
(River) at 31 14N 121 29E (Figure A). The port consists of approximately
25 nm of river front extending southward from its confluence with the
Chiang Chiang (Yangtze River).


This river port is subject to continuous silting and mud flats are prevalent, seriously limiting alongside depths. This results in long approaches to pontoons and wharves. Primarily a lighter port, pontoons and small offshore wharves are predominate in most of the port area (Figures 1 - 17). There is almost no rail service and little cranage at dock side. An excellent road net provides access to the urban area with rail and water borne traffic serving the himseland.

The port facilities reflect little change in the period.

25X1D

25

THE LITTLE BLACK NUMBERS IN THE LITTLE KED AUDOST-BOXES SHOW THE PART OF THE RIVER BLOWN -UP ON THE BIG PICTURES SATER ON 1.0 THE BOOK, ... SHANG-HAT PORT FACILITIES PLACK NUMERS REFER TO FIGURE NUMBERS IN REPORT EIGHTEST)



Make some size 6 x 7%

12037 P FIG 13 OF 18-17



SHANG-HAI PORT

<u>Item</u>	Description	Length	<u>Width</u>	Remarks
1-1	Pontoon Wharf Approach	60	20	25X1D
1-2	T-Head Pier Approach	220	40 30	Covered loading facility
1-3	Covered Pier	200	85 ,	
1-4	Pier	100		25X1D
1-5	Offshore Wharf 5 Approaches	400	30 - 40 20	Conveyor at N end
1-6	Covered Landin Approach	1 5	30 10	Two Dolphins outboard
1-7	T-Head Pier Approach	150	30 30	Covered loading facility
1-8	T-Head Pier Approach	220 695	40 25	Covered loading facility Covered conveyor
1-9	Pier	50		Not in use due to shallow water
1-10	Pier Approach	150	15	25X1D
1-11	T-Head Pier Approach	155	30	25X1D.
1-12	Covered Landing	30	30 10	
1-13	T-Head Pier	225		Coal handling facility 25X1D
1-14	T-Head Pier Approach	130	20 ` 15	20/13
1-15	Pontoon and Approach	. 4 5	10	25X1D
1-16	L-Head Pier Approach	135	30 15	
1-17	Overhead Crane Crane Way	60'span 280	60	Extends over water
				25X1



•


material and the country of the second secon

Item	Description	Length	<u>Width</u>	Remarks
1-18	3 Shearlegs Cranes			Along mud bank
1-19	Offshore Wharf 2 Approaches	150	. 30	
1-20	Pier ⊗	150 °	15	
1-21	Bridge Crane Crane Ways	110 1050	20	25X1D Extend to end of pier/wharf (19 and 20)
1-22	2 Repair Ways 1 U/I Vessel	205 150 70	10 2 2	
1-23	Pontoon Wharf Approach	130	30 10	25X1D
1-24	Covered Pier	90 °	ි 6 0	

0.5....

to the state of the control of the

SECRET




Oneway Contract

••.

<u>Item</u>	Description	Length	<u>Width</u>	Remarks
2-1	Marginal Wharf Filled Approach	340 250	35 170 - 205	l Mobile crane
2-2	Marginal Wharf (Coal storage area	1500	100	7 Mobile cranes 3 Drag lines)
2-3	Offshore Wharf 2 Approaches	275		25X1D
2-4	Pontoon Wharf Approach	250	30	(Joins 2-3) 25X1D
2-5	Pontoon Wharf Approach	90	15	25X1D
2-6	Offshore Whorf 4 Approaches	350	35	2 Mobile cranes 25X1D
2-7	7 Short Piers	15-60' 10	ng	.
2-8	Offshore Wharf 11 Approaches	1150	40 20	4 Mobile cranes
2 - 9	Storage Area Covered storage app	1225 proximatel	1100 y 250,000 so	Rail served

٠.

SECRET




Item	Description	Length	Width .	Remarks
3-1	Boat Repair Yard Pier	120 600	300 ´ 15	Small boat repair
3-2	Offshore Wharf Approach	40	15	25X1D
3-3	Offshore Wharf 2 Approaches	125		25X1D
3	T-Head Pier Approach	50	15 15	
3-5	Pontoon Wharf Approa	40	10	25X1D
3-6	Offshore Wharf 3 Approaches	320		3 Mobile cranes 25X1D
3 - 7	Offshore Wharf Filled Approaches	300	30 200	25X1D
3 - 8	Offshore Wharf Filled Approaches	350 110	200	2 Possible cranes
3 - 9	Probable Water Pumping Station 3 Intakes	100	55 diamet	25X1D
3-10	Offshore Wharf 3 Approaches	460	14C	3 Mobile cranes
3-11	T-Head Pier Approach	55	20 20	25X1D
3-12	Pier		15	
3-13	Offshore Wharf 2 Approaches	150	50 20	25X1D
3-14	3 Piers Storage building	70 300		Serve storage building Multi story
3-15	3 Piers	55	10-15	Bulkheaded shoreline
3-16	Offshore Wharf 2 Approaches	70	15	Ferry landing
				25X1D



Item	Description	Length	Width	Remarks	
3-17	 Shanghai Shilyard Huang Tsu Boatyard 1 Marine Railway 6 Repair Ways 5 Covered Ways	260 70-130 70-130	55 55 55	Road and Rail Numerous smal support buil 25X1D	l shops and
3-18	2 Piers 2 Overhead Cranes Crane Ways	350 125 500	85 20 125	Supporting Cr	ane Ways
3-19	Shang-Hai Naval Bas and Shipyard Kiang Dock Company			ing ways, s	s, eleven build- ix traveling and two offshore

SECRET



GDGUTT.

Item	Description	Length	Width	Remarks
4-1	Offshore Wharf . 2 Approaches	70		Ferry landing
4-2	Offshore Wharf 2 Approaches	250	35 15	25X1D
4-3	Offshore Wharf 2 Approaches	185	35 15	
4-4	Offshore/Marginal Wharf 3 Approaches	1550		25X1D 4 Mobile cranes
4-5	Storage Area Covered Storage An Administrative/Hou	2900 pproximate using Buil	780 21y 329,00 dingsAppr	Secured Square feet Square feet Square feet
4-6	Shang Hai Shipyard Ping Nan Dock Compar A. Graving Dock B. Marine Pailway	290	50	25X1D]coping)
4-7	Pontoon Wharf Approach	75	25 15	
4-8	Pontoon Wharf Approach		25 10	
14-9	Offshore Wharf 5 Approaches	350	30 15	Coal handling equipment
4-10	L-Head Pier Approach	35	15	25X1D
4-11	Pier	50	15	
4-12	Covered Pic.		25	
4-13	Marginal Wharf	280		2 Coal handling T-Head cranes
4-14	Pier	50	15	
4-15	Pontoon Wharf	150	25 15	
4-16	Venicular Ference Landing			25X1D
4-17	Covered T-Head Pier Approach	50 	35	25X1D
	_			

· ·					1
4-18	Huang Pu Small Craft Yard A. 3 Marine	•			
	Railways	300	15	4 small vessels u	nder repair
4-19	T-Head Pier Approach	150	30	•	
.4-20	Pontoon Wharf 2 Approaches	110		25X1D	
4-21	Offshore Wharf 5 Approaches	330	35 20		.7.
4-22	T-Head Pier Approach	370	15	25X1D	
4-23	Storage Area Covered Storage	2000 · 155,000	1500 - Square fe		
4-24	Chiu Hsin Shipyard	e e	· · · · · · · · · · · · · · · · · · ·	_25X1D	
4-25	Pier	120			-
4-26	T-Head Pier Approach	50	20 15		-
4-27	Vechicular Ferry Landing	8 5 22	* * **		
4-28	Marginal Wharf	420	60	2 Mobile cranes	
4-29	Pontoon Wharf Approach	6 <u>5</u>	15 15		
4-30	Tung-Chic-Tu Shipyard 2 Quays Graving Dock	25X1D 150 380	85 110	3 Mobile cranes - l Tower jib crane	
4-31	Offshore/Marginal	73.0	FO.	O Mahalla amama'a	

50

15 15

25

Width

Length

710

60 60

55

Item

Description

Wharf

T-Head Pier

Approach

T-Head II

Pier

Covered Approach

25X1D

4-32

4-33

4-34

Remarks


2 Mobile cranes

25X1

25X1D

25X1


I will also the second and the secon



25X1

Item	Description	Length	Width	Remarks
4 - 35	Offshore Wharf . 2 Approaches	160	30 15	25X1D
4-36	Offshore Whari 3 Approaches	290	30 15	4 Mobile cranes
4-37	L-Head Pier (Covered) Approach	60 25	20	25X1D
4-38	P-Head Pier Approach	70 ⁵⁰ 50	20	25X1D
4-39	Boat Landing	70	75	
4-40	Pontoon Wharf (Covered) 2 Covered Appro	270 paches 50	25	• From building
4-41	Marginal Wharf	1050	80 .	

25X1D



OLORUI.

<u> Item</u>	Description	Length	Width	Remarks
5 - 1	Pontoons 5 Approaches	545	30 15	Series of pontoons and catwalks
5 - 2	Pontoon 2 Approaches	175	25 15	
5-3	Marginal Wharf	130	25	
5-4	Pier	60	15	Probable pontoon approach
5 - 5	Pontoon l Approach	7 5	30 15	
5 - 6	Covered Structure	75	45	
5-7	Breasting Platform Approach	25	25 15	
5 - 8	Probable Pontoon 2 Approaches	140	25 15	Approaches covered
5 - 9	Pontoon Approach	70	30 [°]	Approach covered
5-10	Probable Pontoon 2 Approaches	70	25 10	Approaches covered
5-11	Pontoons 2 Approaches	235	30 20	Series of pontoons and catwalks
5-12	Pontoons S Approaches	2680	30 15	Series of pontoons and catwalks
5-13	Pier	40	1. 15	Probable pontoon approach
5-14	Ferry Terminal 2 Approaches	_, 55	25 15	Pontoon
5-15	Pontoons 8 Approaches 7 Approaches	1840	25 20 15	Series of pontoons and catwalks
5-16	Marginal Wharf	100		
5-17	Marginal Wharf	75		
5-18	Pontoon 1 Approach	130	25 15	
5-19	Pontoon 1 Approach	75	25	Covered

SIGNIT

÷..

Item	Description	Length	Width	Remarks
5-20	Pontoon 1 Approach	100	30	Covered 25X1D
5-21	Pontoon 1 Approach	120	25 10	Covered 25X1D
5-22	Pontoon l Approach	40 .	25 	Covered
5-23	Pontoon 2 Approaches	60	25 	Possibly covered
5-24	Pontoon 1 Approach	60	25	25X1D
5-25	Pontoon 1 Approach	60	25	25X1D
5-26	Marginal Wharf 3 Possible	215	60	Building on wharf
	Pontoons 2 Approaches	405 oa	30 15	Outboard from wharf, possibly covered
5-27	Pontoons 4 Approaches	475	25 15	Series of pontoons
5-28	Pontoons2 Approaches	175	30 15	Series of pontoons
5-29	Pontoons l Approach	345	30 15	Series of pontoons
5-30	Pier	60 .	20	
5-31	Pontoon 1 Approach	60	25 10	
5-32	Pontoon 1 Approach	75	30 20	
5-33	Pontool. 1 Approach	125	25 15	
5-34	Pontoon 2 Approaches	45	20 15	
5 - 35	Pontoons 7 Approaches	`9ĕ0	30 15	Series of pontoons and catwalks
				n in the second of the second
•		,		25X1

-cronTT	
-CLUME!	

. Item	Description	Length	Width .	Remarks
5-36	Pontoons 3 Approaches	230	50 ,40	Series of pontoons; 1 covered
5-37	Pontoons 3 Approaches	230	50 70	Series of pontoons; 1 covered
5-38	Pier	45	. 25	
5 - 39	Pontoons 3 Approaches	230	50 70	Series of pontoons
5-40	Pontoons 2 Approaches	305	30 15	Series of pontoons
5-41	Pontoon 1 Approach	145 ·	30 15	4 Floating cranes
5-42	Pontoon 1 Approach	90	25 - 15	
5-43	T-Head Pier Approach	235	40 20	
5-44	Pontoon 2 Approaches	140	25 20	
5-45	Breasting Platform	40	30 15	
5-46	L-Head Pier Approach	100	40 30	
5-47	Pier	40	30	
5-48	Pontoon 1 Approach	140	30 20	
5-49	L-Head Pier Approach	100	25 20	
5-50	T-Head Pier Approach	195	40 15	
5-51	Pontoon 2 Approaches	185	10	
5-52	Pontoon 1 Approach	60	25	25X1D
1				4)


OLORE I

25X1

Item	Description	Length	<u>Width</u>	•	Remarks
5-53	Pontoon 2 Approaches	. 60	25 15		
5-54	Breasting Platform Approach	25	10		057/45
5-55	2 Breasting Platform	ms 30 .		,	25X1D

2

SECRET



MAKE SEME SIZE 64×7花

FIGHT OF 1917

SIUNI

					j.	
<u>Item</u>	Description	Length	Width .	Remarks		
6-1	Pontoon	160	30			. 1
6-2	2 Breasting Platf	orms				
6-3	Pontoon 2 Approaches	190	30 15			
6-4	Pontoon 2 Approaches	300	30 15			
6-5	Pontoon l Approach	125	30 15			
6-6	T-Head Pier Approach	60	20	· · · · · · · · · · · · · · · · · · ·	(2)	
6-7	Pontoon	55	15	Along shore		
6-8	Marginal Wharf 2 Automotive cra 1 Conveyor	2490 anes		Includes offsho	ore section	
6-9	Pontoon 3 Approaches	535	30 30 - 15	25X	1D	•
6-10	Pontoon 1 Approach	45	25 30			
6-11	Marginal Wharf	2005		2 Automotive Cr	anes	
6-12	Pier	40				
6-13	Offshore Wharf 2 Approaches	115	25 15	•	7	
6-14	Possible Breasting Platform Approach	15	10	<u> </u>		
6-15	Pontoon 1 Approach	. 45	25 5		25X1D	
6-16	Pier	75	15			
6-17	L-Head Pier	85	75	Outline only	•	
6-18	Pontoon 1 Approach	130	35 15			
	<u>ن</u> ون مدت					25X



<u>Item</u>	Description	Length	<u>Width</u>	Remarks
6 - 19	Possible Pier	70	. 55	
6-20	Pier .	55	15	7
6-21	Pontoon 2 Approaches	55	25 5	
6-22	Pontoon 1 Approach	115	60	25X1D
6-23	Pontoon 2 Approaches	175	25 15	
6-24	Marine Railway Portal Jib Crane	335	20	Visible
6 - 25	Pontoons l Approach	480 ов	30	Series of pontoons and catwalks
6-26	Marine Railway Probably 17 Tracks Cradle	270 oa 155 270	155 Varies 30	Visible 14 Tracks visible in 17 Tracks visible in
6-27	Wharf Pontoon Moored at Wharf	60	40	2 Approches, rest silted in -
6-28	Pontoon 1 Approach	130	30 15	
6-29	Offshore Wharf 3 Approaches Crane Way 1 Portal Jib Crane 2 Automotive Jib C		30 25 25	

CLUMI

	• *			
<u>Item</u>	Description .	Length	Width	Remarks
7-1	Marginal Wharf 2 Automotive Crane:	475 s		
7 - 2	Pontoon 1 Approach	55	25 15	
7 - 3	Marginal Wharf	975		
7-4	Marginal Wharf	85		
	Shang-Hai Shipyard Si	nang-Hai	Dockyards Ne	w Works (Items 5-9)
· 7 - 5	Graving Dock, Coping	575	100	2 Automotive cranes
7-6	Graving Dock, Coping	335	75	
7-7	Marginal Wharf	725 oa	•	Fitting-out wharf; length includes gate of 6
7 - 8	Marine Railway	. 320 == ′	15	Approximate length
7-9	Pontoon 1 Approach	60	30 10	
7-10	T-Head Pier Approach	15		25X1D
7-11	Pontoons 5 Approaches	360	30 10	Series of pontoons and catwalks
7-12	Ferry Terminal	7 5	25	Pontoon
7-13	Pontoon 2 Approaches	200	30 20 _	•
7-14	Offshore Wharf 2 Approaches 1 Floating Crane	200	50 70	
7-15	Marginal Wharf Crane Way 1 Portal Jib Crane 3 Automotive Crane		25	
7-16	Pontoons . 5 Approaches	960	30 20	Series of pontoons
7-17	Pontoons 2 Approaches	305	30 20	Series of pontoons
7-18	Pier	_10		25X1

٠.

SEGRET

<u>Item</u>

Description

Length

Width


30 15 Remarks

7-19 Pontoons

Pontoons 2 Approaches 315

Series of pontoons

25X1



12037P FIRM OF 18-17



•				25X1
٠.				
<u>Item</u>	Description	Length	Width .	Remarks 0
8-1	Pontoon 2 Approaches	100	40 15	Covered
8-2	Pontoon 1 Approach	70	30 10	
8-3	Finger Pier	70	. 🔲	25X1D _
8-4	Pontoon 1 Approach	70	25 25	
8-5	Pontoon/Breasting Platform			and the second s
8-6	Pier	60	15	· · · · · · · · · · · · · · · · · · ·
8-7	Pier	40	20	
8-8	Pier	40	20	
8-9	Probable Pontoon	45	25	
8-10	Pier	40	15	
8-11	Pier	55	15	
8-12	L-Head Pier Approach	90	25 20	
8-13	T-Head Pier Approach	305	10 20	
8-14	Pier	95	10	
8-15 •	Marginal Wharf Overhead Coal Conveyor	345	20	Includes offshore extension
8-16	Pontoons 5 Approaches	605	·30 15 .	Series of pontoons and catwalk
8-17	Pontoon 1 Approach	60	. 25	25X1D
8-18	Pontoons 2 Approaches	200	25 10	Series of pontoons
		. —	·	




<u> Item</u>	Description	Length	Width	Remarks	
8-19	Ferry Terminal .				
8-20	Marginal Wharf 3 Automotive C	2390 Tanes			
8-21	Marginal Wharf	750		Coal storage	
8-22	Pontoon 1 Approach	45	15 10		
8-23	Pier	30	15		
8-24	Pier	° 60	15		
8-25	Pontoons 2 Approaches	170 60	25 10	Series of pontoons	
8-26	Pier	60	15		
	Shang-Hai Shipya (Items 27 -	rd Shang-Hai 36)	Dockyard	(International Dock)	
8-27	Pontoon 1 Approach	180	25 10	et en	
8-28	Pontoons	540	30	Series of pontoons an catwalk to item 29	d catwalks;
		•		· · · · · · · · · · · · · · · · · · ·	
8-29	Wharf	585 45	30 30	2 Offshore sections	
	3 Approaches Crane Way 1 Portal Jib Cr	190 340 ane	20 25	l Marginal section	
8-30	Graving Dock, Cop	ing 555	120		
8-31	Quay	85			
8-32	Pontoon 1 Approach	100	30 10		
8-33	Offshore Wharf 2 Approaches Pontoon moored	120	. 5		
					1 400
i	alongside	80	15		



<u>Item</u>	Description	Length '	<u>Width</u>	Remarks
8-34	Side Launching Ways Cradle	350-415 170	175 10	9 Rails
8-35 -	Transverse Building Ways 5 Ways 1 Way	530 1 ¹ 1 ⁰	20	
`8-36	Pontoons 6 Approaches	380	25 10	Series of pontoons and catwalks

CLUME

SECRET!



Make same size-64'x 775.

12037 P FIG BOF #17

25X1

OF OFFI I LINU LO		
	I	

Item	Description	Length	Width	Remarks	
9-1	Marginal Wharf	45	40	·	
9-2	Marchinal Wharf	85	25	Possibly covered	·
9-3	T-Head Pier Approach	55	10		
9-4	T-Head Pier Approach	85		In wet basin	
·9 - 5	Marginal Wharf	275		Faces wet basin	
9-6	Marginal Wharf l Overhead Conve	630 yor		25X1D	:
9-7	Pier	45	15		
9-8	Ferry Terminal				:
9-9	Pontoon 1 Approach	100	20 10		
9-10	Pier	90	5		
9-11	Pontoons 3 Approaches	650	30 15	Series of pontoons and catwalk	cs 22
9-12	T-Head Pier Approach	220	40 25		
9-13	Pontoon 2 Approaches	155	30 15		
9-14	Pontoon 1 Approach	45	15 15		
9-15	3 Breasting Platfo	rms 25	20 ,		
9-16	Marine Railway	105	= 20	1-Set of tracks	
9-17	Pontoon 1 Approach	150	25 15		
9-18	Pontoons 1 Approach	170	25	2 Pontoons and catwalks	
9-19	Ferry Terminal				

GLU.LI

25X1






		•			
<u>Item</u>	Description	Length	Width Remai	ks	
	Hu-Tung Shipyard	(Items 20 -	26)		أندابهميون
9-20	Marine Railway	165	15		~ \ -æ`\
9-21	Offshore Wharf 2 Approaches	225	35 25		÷
9-22	Offshore Wharf 5 Approaches	1120	35 30 1 1 2 3 4 4 12 4 13		->
9 - 23	Transverse Laune Way Cradle	hing 350 350	335:		
9-24	Building Ways 4 2 Ways 2 Ways 2 Crane Ways 1 Crane Way	880 860 885 860	105 85		
9-25	Offshore Wharf 1 Approach	460	45 20		r Zavere
9-26	Pier	85	20	-	, - in

25X1



SECRET



10 Make some size 6 x 710"

12037 P 17



	SLUME				
	•		• .		
Item	Description	Length .	Width	Remarks	
	Chung Hua Shipyard	(Items l -	6)		
10-1	3 Marine Railways e	a 135	10	End haul type	
10-2	Pontoons	570	30	3 Pontoons	
	Approach Approach	,	25 15		
<u>. "</u> "	Floating Crane				
10-3	3 Building Ways en 3 Crane Ways	985 985	45		
10-4	Offshore Wharf 2 Approaches	105	30 15		
10-5	Pier	55 · · · ·	20	Possible pontoon approach	
10-6	Pier	55	20	Possible pontoon approach	ĺ
10-7	Offshore Wharf 2 Approaches	390	35		
10-8	Pontoon 1 Approach	110	25 10		•
10-9	Boatyard 2 Marine Railways	165	15	Visible section; end haul type	
	Transverser, 8 rails Cradle	c. 265 oa 265	100 oa 10	Inland-from marine railways	1.
.•	7 Building Ways Building Ways	265 oa 265 oa	125 oa 165 oa	Inland from transverser; riverward from transverser, area includes marine railway	1.
	Shang-Hai Marine Pro	ducts (Ite	ms 10-14)		
10-10	Pontoons 3 Approaches	635 oa	25 10	Series of pontoons and catwalk	s
10-11	T-Head Pier Approach	195	40 35		
-	2 Overhead Convey	ors		To probable ice house	
10-12	Offshore Wharf 4 Approaches 1 Overhead Conveyo	780 or	35 40	2 Covered 25X1	
10-13	Offshore Wharf 3 Approaches	1160	30 25	(10-connected by pontoons/timbers against faces of	
	SECRET			landing structures)	
				· · · · · · · · · · · · · · · · · · ·	ſ


SECRET

25X1

25X1D

Item	Description	Length	Width	Remarks	
10-14	T-Head Pier Approach 1 Overhead Conve Connects to Mai	280 oa eyor Inland		Breasting platform and dolphins connected by	catwalks
10-15	Pontoons 3 Approaches	540 .	35 15	Series of pontoons and	catwalks
10-16	L-Head Pier Approach	110	15 10	Oil pier	
10-17	L-Head Pier Approach	25	10 25		
10-18	Pier	50	10		

الم المالية



" Hake some size- 64 x 776"

12037P FCD0F13


Description Item Length Width Remarks Jukong Naval Wharves (Items 1 - 3) 50 45 11-1 Wharf 555 Combination marginal and off-3 Approaches shore 50 45 11-2 Wharf 550 Combination marginal and off-3 Approaches shore 30 10 11-3 Pontoon 200 1 Approach 1 Possible Conveyor 40 20 11-4 Offshore Wharf 230

Ö

CLUILLE

2 Approaches





Make some size - 64"x 7"

12037 P FIG 50F 1217 SEUIL

Remarks

Item	Description	Length	Width
12-1	L-Head Pier Approach	90	25 10
12-2	Pier	135	10
12-3	Pier	135	10
12-4	Marginal Wharf	185	65
12-5	Pier	135	10
12-6	`Pier	135	10
12-7	Pier	45	. 20

Sec. 1

1

notice of the same SHANG-HAI STORAGE HIM 000 HUANG PU CHIRNG RED INDICATES WEW CONSTRUCTIO - PIPELINE CAGS-- Raileond Stopage Table TIDEL MUD FLAT - EMBANKMENT . 0 FELT (APPROLIPATE) SECRET 12037 P/64 FIG 35 CF 18

25X1


CLUAL!		•	
	_ .		

<u>Item</u>	<u>Description</u>	Length	Width	Remarks	
13-1	T-Head Pier Approach	80	30 20		
13-2	Pontoons 3 Approaches	365	30 20		
13-3	Approaches (2)			Unused	
13-4	T-Head Pier Approach	115	30		
13-5	Pontoon 1 Approach	125	15 20		
13-6	Pontoon 1 Approach	115	25 20		.:
13-7	T-Head Pier Approach	395	20 - 40		
13-8	Pontoons 6 Approaches	945	25 20	Series of pontoons and catwal 4 papelines onto structure; 2 unused approaches	cs;
13-9	Pontoons 1 Approach	70	25 20	Pipeline onto structure	
13-10	Pontoon 1 Approach	110	30 15		
13-11	Pontoons 2 Approaches	250	30	,	
13-12	Pontoons 1 Approach	250	30 20		
13-13	Pontoons 1 Approach	250	30 20		
13-14	Pier	75	10		
13-15	Pontoon 1 Approach	280	30 15	•	
13-16	T-Head Pier Complex Approach	305*	30* T-Head 25	pier, 2 breasting platforms and catwalks	

^{*} Overall

Sall being the comment of the

GIUNLI.



SEUNLI

				·
Item	Description	Length	Width	Remarks
14-1	T-Head Pier Approach	90	15 15	Oil pier
14-2	Pontoon 1 Approach	225	30 20	
14-3	Pontoon 1 Approach	225	30 15	
14-4	Pontoon 1 Approach	225	30 20	
14-5	T-Head Pier Approach	70	15 15 ———	
14-6	Pontoon 1 Approach	55 	20 15	
14-7	Pontoons 2 Approaches	170	20	2 Overhead coal conveyors
14-8	Pontoons 2 Approaches	340	20 /	2 Overhead coal conveyors
14-9	Breasting Platforms (2) Approaches	45	30 10	
14-10	Offshore Wharf 2 Approaches	25	20 10	Overhead conveyor
14-11	Pontons 1 Approach	320	.30	
14-12	Pier	75	30	
14-13	Pontoon 1 Approach	35	20 10	
14-14	Pontoons 1 Approach	475	30 10	

CENT

SECRET

25X1

Item	Description	Length	Width	Remarks
	Chang-Hua-Peng Shi	pyard (Ite	ms 1 - 6)	```
15-1	L-Head Pier Approach	20	10 10	
15-2	Marginal Wharf	115	30	
15 - 3	Marine Railway	180*	100*	3 Sets of rails; end haul
15-4	Marginal Wharf	645	60	1985 - 1984 - 1
15-5	Graving Dock, Cop	Ing 265	40	the state of the s
15-6	Marine Railway	125	30	1 Set of rails; end haul
15-7	Pontoon 1 Approach	50	20 15	

25X1

Overall

SIGNET

SECOLT

25X1D

2 ·				-
Item	Description	Length	<u>Width</u>	Remarks
16-1	Marginal Wharf	490	. 60 ·	Conveyors present in removed
16-2	Offshore Wharf l Approach 2 Approaches	370	50 50 140	garage and the second s
16-3	Marginal Wharf	1560	ere in the second secon	Curved face; 1 possible portal jib crane
16-4	Pontoon 1 Approach	130	35 10	
16-5	Pontoons - 1 Approach	75	35 10	
16-6	Pier	50	10	
16-7	Pontoon 1 Approach	45	15 10	
16-8	Pontoon 1 Approach	75	30 15	
16-9	Probable Pontoon l Approach	65	10 10	
16-10	Pontoons 1 Approach	55 1050	10 10	Long aproach
			. /	•

SEGNET

. . . .

25X1

· SECKET 25X1 RED INDICATES NEW CONSTRUCTION TIDAL MUD FLAT WU-SUNG SPIT. NAVAL BARRACKS AND RADIO STATION MU-EUNG MTB MAINTENANCE YARD SHANG-HAI SECRET 17037 P/C4
PIG 18 OF 48-17 25X1

